



TECHNICAL INFORMATION

It can be mounted horizontally and vertically The LED's assembled in Italy, are easily replaceable. 230V, Classelll, IP23, LED on rigid support 2 x 5.52 WATT 680 lumens of natural light color (> 5500K) CE

Comply with the directives 2006/95 / EC and 2004/108 / EC in terms of electrical safety and electromagnetic compatibility

MATERIALS:


High-quality glass, thickness 5 mm, ecological production withiout lead and copper. Structure of anodized aluminium


COMPATIBILIDAD ENERGETICA GARANTIA





NOTES:









TECHNICAL INFORMATION

It can be mounted horizontally and vertically The LED's assembled in Italy, are easily replaceable. 230V, Classelll, IP23, LED on rigid support 2 x 7.44 WATT 915 lumens of natural light color (> 5500K) CE

Comply with the directives 2006/95 / EC and 2004/108 / EC in terms of electrical safety and electromagnetic compatibility

MATERIALS:


High-quality glass, thickness 5 mm, ecological production withiout lead and copper. Structure of anodized aluminium


COMPATIBILIDAD ENERGETICA GARANTIA





NOTES:









TECHNICAL INFORMATION

It can be mounted horizontally and vertically The LED's assembled in Italy, are easily replaceable. 230V, Classelll, IP23, LED on rigid support 2 x 5.52 WATT 680 lumens of natural light color (> 5500K) CE

Comply with the directives 2006/95 / EC and 2004/108 / EC in terms of electrical safety and electromagnetic compatibility

MATERIALS:


High-quality glass, thickness 5 mm, ecological production withiout lead and copper. Structure of anodized aluminium


COMPATIBILIDAD ENERGETICA GARANTIA





NOTES:









TECHNICAL INFORMATION

It can be mounted horizontally and vertically The LED's assembled in Italy, are easily replaceable. 230V, Classelll, IP23, LED on rigid support 2 x 9.36 WATT 915 lumens of natural light color (> 5500K) CE

Comply with the directives 2006/95 / EC and 2004/108 / EC in terms of electrical safety and electromagnetic compatibility

MATERIALS:


High-quality glass, thickness 5 mm, ecological production withiout lead and copper. Structure of anodized aluminium


COMPATIBILIDAD ENERGETICA GARANTIA





NOTES:









TECHNICAL INFORMATION

It can be mounted horizontally and vertically The LED's assembled in Italy, are easily replaceable. 230V, Classelll, IP23, LED on rigid support 2 x 7.44 WATT 915 lumens of natural light color (> 5500K) CE

Comply with the directives 2006/95 / EC and 2004/108 / EC in terms of electrical safety and electromagnetic compatibility

MATERIALS:


High-quality glass, thickness 5 mm, ecological production withiout lead and copper. Structure of anodized aluminium


COMPATIBILIDAD ENERGETICA GARANTIA





NOTES:









TECHNICAL INFORMATION

It can be mounted horizontally and vertically The LED's assembled in Italy, are easily replaceable. 230V, Classelll, IP23, LED on rigid support 2 x 9.36 WATT 1140 lumens of natural light color (> 5500K) CE

Comply with the directives 2006/95 / EC and 2004/108 / EC in terms of electrical safety and electromagnetic compatibility

MATERIALS:


High-quality glass, thickness 5 mm, ecological production withiout lead and copper. Structure of anodized aluminium


COMPATIBILIDAD ENERGETICA GARANTIA





NOTES:









TECHNICAL INFORMATION

It can be mounted horizontally and vertically
The LED's assembled in Italy, are easily replaceable.
230V, Classelll, IP23, LED on rigid support 2 x 11.28 WATT
1370 lumens of natural light color (> 5500K)
CE

Comply with the directives 2006/95 / EC and 2004/108 / EC in terms of electrical safety and electromagnetic compatibility

MATERIALS:


High-quality glass, thickness 5 mm, ecological production withiout lead and copper. Structure of anodized aluminium


COMPATIBILIDAD ENERGETICA GARANTIA





NOTES:









TECHNICAL INFORMATION

It can be mounted horizontally and vertically The LED's assembled in Italy, are easily replaceable. 230V, Classelll, IP23, LED on rigid support 2 x 5.52 WATT 680 lumens of natural light color (> 5500K) CE

Comply with the directives 2006/95 / EC and 2004/108 / EC in terms of electrical safety and electromagnetic compatibility

MATERIALS:


High-quality glass, thickness 5 mm, ecological production withiout lead and copper. Structure of anodized aluminium


COMPATIBILIDAD ENERGETICA GARANTIA






NOTES:









TECHNICAL INFORMATION

It can be mounted horizontally and vertically
The LED's assembled in Italy, are easily replaceable.
230V, Classelll, IP23, LED on rigid support 2 x 11.28 WATT
1370 lumens of natural light color (> 5500K)
CE

Comply with the directives 2006/95 / EC and 2004/108 / EC in terms of electrical safety and electromagnetic compatibility

MATERIALS:


High-quality glass, thickness 5 mm, ecological production withiout lead and copper. Structure of anodized aluminium


COMPATIBILIDAD ENERGETICA GARANTIA






NOTES:









TECHNICAL INFORMATION

It can be mounted horizontally and vertically The LED's assembled in Italy, are easily replaceable. 230V, Classelll, IP23, LED on rigid support 2 x 7.44 WATT 915 lumens of natural light color (> 5500K) CE

Comply with the directives 2006/95 / EC and 2004/108 / EC in terms of electrical safety and electromagnetic compatibility

MATERIALS:

High-quality glass, thickness 5 mm, ecological production withiout lead and copper. Structure of anodized aluminium

COMPATIBILIDAD ENERGETICA GARANTIA





NOTES:

